

Hewn's Kebony Collection is an excellent choice for residential and commercial siding applications. Using Kebony Clear Cladding as a base, our product is designed to be an ethical alternative to tropical hardwood siding.



Kebony produces all of their products from FSC[®]-certified woods, aiming to have a substantially lower carbon footprint than their tropical hardwood counterparts. Kebony's non-toxic proprietary process also darkens the wood, replicating the look of tropical hardwood throughout the entire board.

Hewn's Kebony Collection is sold with multiple milling profile options, and can be customized to fit the needs of your specific project.



TECHNICAL SPECIFICATIONS

Species: Kebony

Moisture Content: Average 4-8%

Class Rating: Class B (ASTM E84)

V.O.C. Content: < 550 g/L*

Standard Widths: See Profiles Below

Standard Thickness: 3/4", 7/8" (Profile Dependent)

Grade:	Kebony Clear - Neat, sophisticated wood with a subtle grain that is free of knots.
Janka Hardness:	7.2 kN
Flame Spread Index:	65 (ASTM E84)
Smoke Developed Index:	300 (ASTM E84)

* All products can be customized to meet any state-mandated V.O.C. requirements, when necessary.



STANDARD COLOR OPTIONS

Hewn offers a variety of catalog color options for our Kebony products. In addition to our catalog colors, Hewn's color technicians can color-match Kebony to an existing sample, or any material inspiration.



Andean Beautiful grey midtones with a hint of blue



Antiguan Rich greys and tans with unique tonal variance



Balinese Bold rust tones complement a darker grain pattern



Brazilian Deep brown-red color with occasional lighter tones



Chilean Bright highlighted greys interrupted by tan undertones



Costa Rican Deeply brown with stunning rust-colored character



Javanese Darkened wood surface with slightly lighter brown highlights



Patagonian Stark grey tones with a rich black grain pattern



Peruvian Slightly tan midtones with a rich black grain pattern




Krakatoan Dark charcoal tones, with a slight brown-red hue




MILLING PROFILES

Hewn's Kebony Siding is available in a variety of milling profiles, designed to fit the individual needs of your project. Our Kebony Siding is milled to your requested specifications in-house, allowing for the highest level of oversight throughout the entire production process.



5/4×6 Clear Square S4S E2E Actual Dimensions: 7/8" x 5 5/8" Lengths: 10' 12', 14', 16'



1×6 Clear T&G w/Nickel Gap Face: 5 1/4" Gap: Tight, 1/16", 1/8", 3/16", 1/4" Actual Dimensions: 3/4" x 5 1/2" Lengths: 10', 12', 14', 16'

1×6 Clear 90 Degree Shiplap Face: 5 1/4" Gap: Tight, 1/4", 3/8", 1/2" Actual Dimensions: 3/4" x 5 3/4" Lengths: 10', 12', 14', 16'






PASSIVE RAINSCREEN SYSTEM

Kebony's Passive Rainscreen System (PRS) goes beyond a traditional rainscreen to deliver maximum performance and aesthetics. A combination of marine grade aluminum clips and perfectly matched Kebony cladding, the PRS replaces common wood furring strips to create passive air flow between the cladding and sheathing. Its unique cladding profile creates a gap while providing increased protection from the elements, leading to a longer-lasting project all while hiding the fastener from view. 5 1/4"

1×6 Clear Rainscreen Cladding Actual Dimensions: 23/32" x 5 1/4" Face: 4 9/16" Gap: 3/8" Lengths: 10', 12', 14', 16'



Low-Profile Clip Rainscreen Gap: 3/8"



