


Finish-Matched Nails



Shown in Honed Soapstone for Stone Grey Cedar



Hewn's 15° wire-coil, painted, full-round-head, ring-shank nail combines the short-term benefit of increased fastening efficiency with the long-term benefit of stainless steel. They are ideal for fast driving and superior holding in wood siding applications, and have a painted finish that helps the heads blend with the material. This collated nail is compatible with many major manufacturers' pneumatic tools.

Specifications

Model No.	S13A225SNC
Coating/Material	Type 304 Stainless Steel
Ga.	13
Penny Size	7d
Length (in.)	2 1/4
Head Diameter (in.)	0.221
Shank Diameter (in.)	0.092
Shank Type	Annular-Ring Shank
Head Type	Full Round Head
Head Pattern	Checkered
Point Type	Diamond Point
Packaging Qty.	3600

Features

- Checker pattern on heads blends with wood grain, reduces glare from sunlight.
- Durable painted finish helps heads blend with siding material
- Annular ring shank increases withdrawal resistance to provide a secure attachment to siding boards
- Slender gauge and diamond point for easier driving

Compatible Tools

Bostitch®	N64C, N66C, N75C
Duo-Fast®	P275C
Grip-Rite®	GRTCS250
Hitachi®	NV65AH, NV75AG
Senco®	SCN60XP, SCN49, SCN65XP, PalletPro57F (up to 2 1/4")

Color Options



Black



Brainstorm Bronze



Chatroom



Deep Forest Brown



Downing Earth



Graphite



Honed Soapstone



Rice Grain



Sedate Grey



Van Dyke

Suggested Color Pairings

Black	Brainstorm Bronze	Chatroom	Deep Forest Brown
Daku Ban Accoya Daku Ban Cedar Dark Roast	Aloha Corral Desert Sand Cedar Peppercorn Accoya	Trillium White	Natural Noir Saddle
Downing Earth	Graphite	Honed Soapstone	Rice Grain
Burlap Desert Sand Accoya Driftwood 50% Driftwood High Desert Mushroom Accoya Mushroom Cedar	Graphite 50% Graphite Rustic Natural Weathered Grey	Farmwood Light Hampton White Stone Grey	Farmwood Linen White
	Sedate Grey	Van Dyke	
	Titanium White	Barn Red Farm Fleet Farmwood Dark Rustic Reclaimed 50% Rustic Reclaimed 50% Saddle White Wash	